

**APPLICATION FOR PERMISSION TO CHANGE POINT OF  
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE  
PUBLIC WATERS OF THE STATE OF NEVADA  
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office MAY 19 1997  
 Returned to applicant for correction \_\_\_\_\_  
 Corrected application filed \_\_\_\_\_  
 Map filed FEB 04 1997 under 62828-T

\*\*\*\*\*

The applicant **Barrick Goldstrike Mines Inc.**, hereby makes application for permission to change the **Point of Diversion for a Portion** of water heretofore appropriated under **Permit 55150**

\*\*\*\*\*

1. The source of water is **Underground**
2. The amount of water to be changed **5.0 cfs**
3. The water to be used for **Mining, Milling & Dewatering**
4. The water heretofore permitted for **Mining, Milling & Dewatering**
5. The water is to be diverted at the following point **SW $\frac{1}{4}$  NE $\frac{1}{4}$  of said Section 19, T36N, R50E, MDB&M., at a point from which the NW corner of Section 19, bears N 71°03'43" W, 4061.43 feet.**
6. The existing permitted point of diversion is located within **NE $\frac{1}{4}$  NW $\frac{1}{4}$  of Section 30, T36N, R50E, MDB&M., at a point from which the NW corner of said Section 30, bears N 64°39'10" W, 2955.41 feet.**
7. Proposed place of use **SE $\frac{1}{4}$  SW $\frac{1}{4}$ , NE $\frac{1}{4}$  SE $\frac{1}{4}$ , S $\frac{1}{2}$  SE $\frac{1}{4}$  Section 12, All of Section 13; SW $\frac{1}{4}$  SW $\frac{1}{4}$ , NE $\frac{1}{4}$  NE $\frac{1}{4}$ , S $\frac{1}{2}$  NE $\frac{1}{4}$ , SE $\frac{1}{4}$  Section 14; NW $\frac{1}{4}$  SE $\frac{1}{4}$ , S $\frac{1}{2}$  SE $\frac{1}{4}$  Section 15; SE $\frac{1}{4}$  NW $\frac{1}{4}$ , N $\frac{1}{2}$  SE $\frac{1}{4}$ , NE $\frac{1}{4}$  Section 22; W $\frac{1}{2}$  NW $\frac{1}{4}$ , S $\frac{1}{2}$  SE $\frac{1}{4}$ , N $\frac{1}{2}$  NE $\frac{1}{4}$ , SW $\frac{1}{4}$  NE $\frac{1}{4}$  Section 23; All of Sections 24, 25, 26, T36N, R49E, MDB&M., S $\frac{1}{2}$  SE $\frac{1}{4}$ , SW $\frac{1}{4}$  Section 7; S $\frac{1}{2}$  S $\frac{1}{2}$  Section 8; All of Sections 17, 18, 19 & 20; S $\frac{1}{2}$  NW $\frac{1}{4}$  Section 28; N $\frac{1}{2}$  Section 29; SE $\frac{1}{4}$  SE $\frac{1}{4}$ , W $\frac{1}{2}$  E $\frac{1}{2}$ , W $\frac{1}{2}$  Section 30, T36N, R50E, MDB&M.**
8. Existing place of use **Same as Above**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Well, Pump & Motor, Pipelines & Storage Ponds**
12. Estimated cost of works **+\$50,000**
13. Estimated time required to construct works **3 years**
14. Estimated time required to complete the application of water to beneficial use **5 years**
15. Remarks: **Please see attached sheet.**

By **HIGH DESERT Engineering, Agent  
s/Robert E. Morley  
640 Idaho Street  
Elko, Nevada 89801**

Compared cms/bk jr/cms

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL      **OF STATE ENGINEER**

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 55150 is issued subject to the terms and conditions imposed in said Permit 55150 and with the understanding that no other rights on the source will be affected by the change proposed herein. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. This source is located within an area designated by the State Engineer pursuant to NRS 534.030.

This permit will allow the permittee to dewater the pit area. Any water obtained as a result of the dewatering operation will be used first by Barrick Goldstrike Mines Inc. for mining, milling, heap leaching, drilling, road watering and other related mining and milling uses (hereafter referred to as mining and milling uses within the described place of use) before usage from water supply wells, and by Newmont Gold Company for the same purposes stated above at what is known as the No. 4 Mill.

Any water not used for mining and milling purposes may be utilized by the TS Ranch on land for irrigation use presently described under the place of use under Permits 16951, Certificate 5605; 16952, Certificate 5606; 28966, Certificate 10226; 28967, Certificate 10227; 29952, Certificate 10043; 29953, Certificate 10044; 30240, Certificate 10046; 30241, Certificate 10047; 30242, Certificate 10048; 30253, Certificate 10229; 30849, Certificate 10057; 31288, 31289, 31289, 34766, 34767, 34768, 34769, 34770, 34771, 34772, 34773, 36020, 36021, 36022, 36023, 36024, 52941, 52942, 52943, 52944, 52945, 52946, 52947, 52948, 52949 and 52950 or any subsequent changes of the place of use of these rights.

The intent, in the interests of the best and most efficient management of the resource, is to substitute water from the dewatering of the pit area for water presently authorized to be withdrawn from the Boulder Flat Groundwater Basin under the above described permits.

Any water not used for mining and milling purposes may be utilized: to address water right impairment, if any, resulting from the diversion of water pursuant to the Barrick applications; to satisfy water use and water management requirements, if any, resulting from actions taken by other governmental agencies; to reinject or infiltrate water; to replace existing authorized groundwater withdrawals; and to serve other beneficial uses that would not adversely impact other water rights.

This water may be diverted to storage and/or discharge through the reservoir constructed under Dam Application J-320. Rights to place such water to use for consumptive purposes or non-consumptive purposes will be provided under Primary Permit 55272 and any secondary permits issued thereunder.

The total combined consumptive duty of water under Permits 55138, 55139, 55140, 55141, 55142, 55143, 55145, 55146, 55148, 55149, 55150, 57217, 57218, 57222, 57223, 57224, 57225, 57226, 57227, 57230, 57231, 57233, 58354, 58355, 58470, 58471, 58472, 58473, 58474, 58475, 58476, 58543, 58544, 58545, 58546, 58547, 59685, 59686, 59687, 59688, 59860, 59861, 60565, 60566, 60782, 60783, 60784, 60785, 60786, 60788, 61407, 62736, 62737, 63126, 63127, 63729-T through 63766-T, inclusive, 63767, 63818-T and 63877-T will not exceed 11,733.0 acre-feet annually (AFA) for mining and milling purposes.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies and is specifically issued subject to approval by the Nevada Division of Environmental Protection of the dewatering project.

(CONTINUED ON PAGE 2)

## ITEM 15 REMARKS:

This is an application to change 5.0 cfs appropriated under "160 acre" block permit 55150 to a different "160 acre" block. The result will be to retain 5.0 cfs for the existing "160 acre" block under permit 55150 and to provide 5.0 cfs to a "new 160 acre" block permit which encompasses the NE 1/4 of Section 19, T 36 N, R 50 E, MDB & M. The provisions of State Engineer Order No. 1038 will apply. It is noted that the "new 160 acre" block overlaps a portion of "160 acre" block permit 55141. This is necessary to provide that the Point of Diversion described under this application be located on land controlled by Barrick Goldstrike Mines Inc. and to comply with order 1038 regarding location of a Point of Diversion at or near the center of an area not to exceed 160 acres. The annual consumptive use will be 1,179,525,240 gallons. Please use the map that accompanied 62829-T to accompany this application.

The authorized uses under this permit are subject to the terms and provisions of that "Stipulation, Settlement Agreement and Withdrawal of Protest" concerning Application Nos. 55139 through 55150, inclusive, and Application No. 55272, between Barrick Goldstrike Mines, Inc., or its successors and Eureka County, dated February 6, 1991; and Addendum of said stipulation, dated November 27, 1996, filed in the office of the State Engineer.

This permit is subject to the "Boulder Valley Monitoring Plan" previously approved by the State Engineer on April 10, 1991.

This permit is issued subject to, and also incorporates the terms and conditions set forth in the State Engineer's Order No. 1038, Order Adopting Rules For Well Spacing and Modification of Regulations For Water Well and Related Drilling (January, 1990) in the Northern Area of the Heretofore Designated Boulder Flat Ground Water Basin (4-61), dated March 29, 1991, on file in the office of the State Engineer.

This permit is issued subject to, and also incorporates the terms and conditions set forth in the State Engineer's Order No. 1132, Order Amending Conditions and Provisions of Permits Issued to Barrick Goldstrike Mines, Inc., to Appropriate Underground Water of the Boulder Flat Ground Water Basin (4-61), dated July 1, 1997, on file in the office of the State Engineer.

The total combined diversion rate of water under Permits 55139, 55140, 55141, 55142, 55143, 55144, 55145, 55146, 55147, 55148, 55149 and 55150 and any subsequent changes will not exceed 100.0 CFS (cubic feet per second), and the total combined withdrawal of water under these permits and any subsequent changes will not exceed 72,000.0 AFA (acre-feet annually).

A monthly report will be submitted to the State Engineer within 10 days after the end of each month which shall include measurement of: the volume of water pumped from each well, the volume of water consumptively used for mining purposes projectwide, the volume of water diverted to storage in the reservoir and the volume of any water discharged to natural drainage.

A year-end report will be submitted to the State Engineer no later than 45 days after the end of the calendar year. The report will state: (1) the number of wells drilled under the permits; (2) the number of abandoned wells; (3) the exact location of each well drilled or abandoned, and (4) a supporting map illustrating well locations and surface water management.

The State Engineer retains the right at any time to require the permittee to cooperate in the funding of additional monitoring and modeling by an independent third party. The State Engineer retains the right to impose future conditions as necessary upon review and evaluation of all data submitted on the dewatering program, water use and the monitoring plan. The State Engineer retains the right to regulate pumping from the dewatering project and/or any other groundwater or surface withdrawals or discharges herein authorized to protect the public interest and existing rights.

All of the above stated conditions are issued subject to having no adverse impacts on existing rights.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 5.0 cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before:

January 3, 1999

Proof of completion of work shall be filed before:

February 3, 1999

Application of water to beneficial use shall be filed on or before:

January 3, 2000

Proof of the application of water to beneficial use shall be filed on or before:

February 3, 2000

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 4th day of June, A.D. 1998

  
State Engineer

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

Abrogated By Per. 65805-T 0.02  
" 65809-T 0.04  
" 65811-T 0.04  
" 67088-T 0.0023  
" 67098-T 0.014  
" 67099-T 0.007  
" 67105-T 0.012  
" 67107-T 0.016  
" 68361-T 0.007  
" 68369-T 0.015  
" 68370-T 0.007  
" 68376-T 0.006  
" 68378-T 0.007  
" 69461-T 0.0022 Exp 5-20-04